

Sample Bliss/Megapotency 50mg THC 10mg CBD

Lab ID:	BBL_9468	Matrix:	Beverage	Analyses Executed:	CAN
Company:	Enjoy Wellness/ DRMZ Brands	Lot ID:	03ENJS11225A	Reported:	22 Jan, 2026
Phone:	407-367-8959	Received:	13 Jan, 2026		
Address:	520 N Meridian Ave, Okc , Oklahoma, 73107 Permit # 55-139721				
Email:	sales.enjoyhemp@gmail.com	Collection Date:	12 Jan, 2026	License Number :	1033853
COA Expiration Date:	13 Jan, 2027				

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


Cannabinoid Profile Analysis

Analyzed 13 Jan, 2026 | Instrument HPLC-PDA | Method TM-101
Uncertainty Measurement at 95% confidence level is 10%, k=2

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/ml	mg/serving
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDA)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	0.0028	0.028	0.0288	10.224
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
D8-Tetrahydrocannabivarin (D8-THCV)	0.200	0.600	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	ND	ND	ND	ND
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
Exo-Tetrahydrocannabinol (exo-THC)	0.120	0.360	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	0.0133	0.133	0.1366	48.493
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	ND	ND
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			0.0133	0.133		
Total CBD (CBDA * 0.877 + CBD)			0.0028	0.028		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			0.0161	0.161	0.1654	58.717

Volume: 355.0000 ml, Density: 1.0273

Sample Photography



NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
22 Jan, 2026 06:22:57 PM



FVI - Filth & Foreign Matter Inspection Analysis

Analyzed 13 Jan, 2026 | Instrument Microscope | Method TM-108

Analyte Name	Result
> 1/4 of the total sample area covered by sand soil cinders or dirt	Negative
> 1/4 of the total sample area covered by mold	Negative
> 1 insect fragment 1 hair or 1 count mammalian excreta per 3g	Negative
> 1/4 of the total sample area covered by an imbedded foreign material	Negative

HME - Heavy Metals Detection Analysis

Analyzed 13 Jan, 2026 | Instrument ICP-MS | Method TM-105
Analysis Comment: Result '0' implies detection less than LOQ.

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Arsenic (As)	0.005	0.015	ND		
Cadmium (Cd)	0.005	0.016	ND		
Mercury (Hg)	0.004	0.013	ND		
Lead (Pb)	0.075	0.224	ND		

MIB - Microbial Testing Analysis

Analyzed 13 Jan, 2026 | Instrument PCR/ Plating | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		Neg	
Total Yeast & Mold		<10	
Aspergillus fumigatus		Neg	
Aspergillus flavus		Neg	
Aspergillus niger		Neg	
Aspergillus terreus		Neg	
Shiga toxin-producing Escherichia Coli		Neg	

MTO - Mycotoxin Testing Analysis

Analyzed 13 Jan, 2026 | Instrument LCMS-MS | Method Subcontracted

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/kg (ppb)	Flag	Limit ug/kg
Mycotoxin B1	0.000	0.010	N D		
Mycotoxin B2	0.010	0.030	N D		
Mycotoxin G1	0.010	0.020	N D		
Mycotoxin G2	0.010	0.040	N D		
Ochratoxin A	0.020	0.060	N D		
Total Mycotoxins			N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
22 Jan, 2026 06:22:57 PM



PES - Pesticides Screening Analysis

Analyzed 13 Jan, 2026 | Instrument LCMS-MS | Method Subcontracted

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Abamectin	0.110	0.330	N D		
Acephate	0.230	0.700	N D		
Acequinocyl	0.110	0.320	N D		
Acetamiprid	0.020	0.050	N D		
Aldicarb	0.020	0.050	N D		
Azoxystrobin	0.020	0.060	N D		
Bifenazate	0.010	0.030	N D		
Bifenthrin	0.020	0.060	N D		
Boscalid	0.060	0.170	N D		
Captan	3.096	9.383	N D		
Carbaryl	0.010	0.040	N D		
Carbofuran	0.010	0.020	N D		
Chlorpyrifos	0.010	0.030	N D		
Chlorantraniliprole	0.010	0.030	N D		
Clofentezine	0.010	0.040	N D		
Coumaphos	0.040	0.120	N D		
Cyfluthrin	2.320	7.020	N D		
Cypermethrin	0.370	1.130	N D		
Daminozide	0.550	1.650	N D		
Dichlorvos	0.050	0.140	N D		
Dimethoate	0.010	0.020	N D		
Dimethomorph	0.010	0.030	N D		
Ethoprophos	0.020	0.050	N D		
Etoxazole	0.010	0.020	N D		
Etofenprox	0.010	0.040	N D		
Fenhexamid	0.040	0.140	N D		
Fenoxycarb	0.020	0.060	N D		
Fenpyroximate	0.010	0.040	N D		
Fipronil	0.010	0.040	N D		
Fludioxinil	0.020	0.050	N D		
Flonicamid	0.010	0.030	N D		
Hexythiazox	0.010	0.020	N D		
Imazalil	0.060	0.170	N D		
Imidacloprid	0.040	0.110	N D		
Kresoxim-methyl	0.020	0.050	N D		
Malathion	0.010	0.030	N D		
Metalaxyl	0.010	0.020	N D		
Methiocarb	0.010	0.030	N D		
Methomyl	0.020	0.050	N D		
Mevinphos	0.060	0.180	N D		
Myclobutanil	1.190	3.610	N D		
Naled	0.030	0.080	N D		
Paclobutrazole	0.020	0.060	N D		
Oxamyl	0.020	0.050	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
22 Jan, 2026 06:22:57 PM



Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Permethrin	0.080	0.260	N D		
Phosmet	0.010	0.030	N D		
Piperonyl butoxide	0.010	0.040	N D		
Prallethrin	0.100	0.300	N D		
Propiconazole	0.070	0.220	N D		
Propoxur	0.010	0.030	N D		
Pyrethrin-I	0.020	0.060	N D		
Pyridaben	0.010	0.020	N D		
Spinetoram	0.230	0.690	N D		
Spinosyn A	0.010	0.020	N D		
Spinosyn D	0.000	0.010	N D		
Spiromesifen	0.050	0.140	N D		
Spirotetramat	0.010	0.030	N D		
Spiroxamine	0.010	0.030	N D		
Tebuconazole	0.010	0.030	N D		
Thiachloprid	0.010	0.030	N D		
Thiamethoxam	0.010	0.040	N D		
Methyl parathion	0.050	0.140	N D		
Diazinon	0.010	0.040	N D		
Trifloxystrobin	0.010	0.030	N D		
Chlordane	0.740	2.250	N D		
Chlorfenapyr	0.830	2.530	N D		
Pentachloronitrobenzene	0.060	0.170	N D		
Chlormequat Chloride	0.210	24.800	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
22 Jan, 2026 06:22:57 PM



RES – Residual Solvent Analysis

Analyzed 13 Jan, 2026 | Instrument HS-GC/MS | Method TM-106

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Flag	Limit ug/g
Propane	0.470	1.410	N D		
Butane	0.200	0.610	N D		
Methanol	0.070	0.230	N D		
Ethylene Oxide	0.010	0.040	N D		
Pentane	0.130	0.410	N D		
Ethanol	0.130	0.380	105.94		
Ethyl ether	0.020	0.070	N D		
Acetone	0.060	0.180	N D		
Isopropyl alcohol	0.030	0.090	N D		
Acetonitrile	0.020	0.060	N D		
Methylene chloride	0.010	0.020	N D		
Hexane	0.030	0.080	N D		
Ethyl acetate	0.030	0.080	N D		
Chloroform	0.010	0.030	N D		
Benzene	0.010	0.030	N D		
1,2-Dichloroethane	0.010	0.030	N D		
Heptane	0.020	0.060	N D		
Trichloroethene	0.010	0.030	N D		
Toluene	0.010	0.020	N D		
Isobutane	3.900	11.820	N D		
Ethyl benzene	1.700	5.160	N D		
m p-Xylenes	0.010	0.030	N D		
o-Xylene	0.010	0.020	N D		
1,1-Dichloroethene	0.010	0.030	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to
verify authenticity.

Authorized Signature
Thinh Ngo
Thinh Ngo
Laboratory Director
22 Jan, 2026 06:22:57 PM