



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2960

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT09

Batch#: MWLG30LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/18/2026	Complete
Residual Solvents	06/23/2026	Complete
Microbials	06/15/2026	Complete
Mycotoxins	06/17/2026	Complete
Pesticides	06/17/2026	Complete
Heavy Metals	06/17/2026	Complete
Foreign Matter	06/15/2026	Not Detected

Cannabinoids

Complete

33.139 mg/unit

Total Δ9-THC

0.0091%

Δ9-THC

ND

Total CBD

33.139 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g
(6aR,9R)-d10-THC	0.9151	1.373	ND	ND
9R-HHC	0.9151	1.373	ND	ND
(6aR,9S)-d10-THC	0.9151	1.373	ND	ND
9S-HHC	0.9151	1.373	ND	ND
CBC	0.9151	1.373	ND	ND
CBCa	0.9151	1.373	ND	ND
CBD	0.9151	1.373	ND	ND
CBDa	0.9151	1.373	ND	ND
CBDV	0.9151	1.373	ND	ND
CBDVa	0.9151	1.373	ND	ND
CBG	0.9151	1.373	ND	ND
CBGa	0.9151	1.373	ND	ND
CBN	0.9151	1.373	ND	ND
CBNa	0.9151	1.373	ND	ND
Δ8-THC	0.9151	1.373	ND	ND
Δ9-THC	0.9151	1.373	33.139	0.09054
THCa	0.9151	1.373	ND	ND
THCp	0.9151	1.373	ND	ND
THCV	0.9151	1.373	ND	ND
THCVa	0.9151	1.373	ND	ND
Total THC			33.139	0.09054
Total CBD			ND	ND
Total			33.139	0.09054

Date Tested: 06/18/2026

Density: 1 mL = 1.034 g, Unit Mass: 366.036 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2960

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT09

Batch#: MWLG30LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.095	0.027		ND	Tested	Fludioxonil	0.091	0.027		ND	Tested
Acephate	0.091	0.027		ND	Tested	Hexythiazox	0.091	0.027		ND	Tested
Acequinocyl	0.091	0.027		ND	Tested	Imazalil	0.091	0.027		ND	Tested
Acetamiprid	0.091	0.027		ND	Tested	Imidacloprid	0.091	0.027		ND	Tested
Aldicarb	0.091	0.027		ND	Tested	Kresoxim Methyl	0.091	0.027		ND	Tested
Azoxystrobin	0.091	0.027		ND	Tested	Malathion	0.091	0.027		ND	Tested
Bifenazate	0.091	0.027		ND	Tested	Metalaxyl	0.091	0.027		ND	Tested
Bifenthrin	0.091	0.027		ND	Tested	Methiocarb	0.091	0.027		ND	Tested
Boscalid	0.091	0.027		ND	Tested	Methomyl	0.091	0.027		ND	Tested
Captan	0.364	0.109		ND	Tested	Mevinphos	0.091	0.027		ND	Tested
Carbaryl	0.091	0.027		ND	Tested	Myclobutanil	0.091	0.027		ND	Tested
Carbofuran	0.091	0.027		ND	Tested	Naled	0.227	0.069		ND	Tested
Chlorantraniliprole	0.091	0.027		ND	Tested	Oxamyl	0.091	0.027		ND	Tested
Chlordane	0.073	0.022		ND	Tested	Paclobutrazol	0.091	0.027		ND	Tested
Chlorfenapyr	0.073	0.022		ND	Tested	Methyl Parathion	0.073	0.022		ND	Tested
Chlormequat	0.091	0.027		ND	Tested	Pentachloronitrobenzene	0.073	0.022		ND	Tested
Chlorpyrifos	0.091	0.027		ND	Tested	Permethrins	0.091	0.027		ND	Tested
Clofentezine	0.091	0.027		ND	Tested	Phosmet	0.091	0.027		ND	Tested
Coumaphos	0.091	0.027		ND	Tested	Piperonyl Butoxide	0.091	0.027		ND	Tested
Cyfluthrin	0.073	0.022		ND	Tested	Prallethrin	0.091	0.027		ND	Tested
Cypermethrin	0.073	0.022		ND	Tested	Propiconazole	0.091	0.027		ND	Tested
Daminozide	0.091	0.027		ND	Tested	Propoxur	0.091	0.027		ND	Tested
Diazinon	0.091	0.027		ND	Tested	Pyrethrins	0.455	0.136		ND	Tested
Dichlorvos	0.045	0.015		ND	Tested	Pyridaben	0.091	0.027		ND	Tested
Dimethoate	0.091	0.027		ND	Tested	Spinetoram	0.091	0.027		ND	Tested
Dimethomorph	0.087	0.027		ND	Tested	Spinosad	0.093	0.027		ND	Tested
Ethoprophos	0.091	0.027		ND	Tested	Spiromesifen	0.091	0.027		ND	Tested
Etofenprox	0.091	0.027		ND	Tested	Spirotetramat	0.091	0.027		ND	Tested
Etoxazole	0.091	0.027		ND	Tested	Spiroxamine	0.091	0.027		ND	Tested
Fenhexamid	0.091	0.027		ND	Tested	Tebuconazole	0.091	0.027		ND	Tested
Fenoxycarb	0.091	0.027		ND	Tested	Thiacloprid	0.091	0.027		ND	Tested
Fenpyroximate	0.091	0.027		ND	Tested	Thiamethoxam	0.091	0.027		ND	Tested
Fipronil	0.091	0.027		ND	Tested	Trifloxystrobin	0.091	0.027		ND	Tested
Flonicamid	0.091	0.027		ND	Tested						

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2960

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT09

Batch#: MWLG30LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	18	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/15/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPM	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.099		ND	Tested
Cadmium	0.049	0.099		ND	Tested
Lead	0.049	0.099		ND	Tested
Mercury	0.049	0.099		ND	Tested
Palladium	0.049	0.247		ND	Tested
Selenium	0.049	0.099		ND	Tested

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2960

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT09

Batch#: MWLG30LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	60.484	201.613		ND	Tested
Benzene	0.242	0.806		ND	Tested
n-Butane	55.645	185.484		ND	Tested
Isobutane	55.645	185.484		ND	Tested
Ethanol	60.484	201.613		1412.207	Tested
Ethyl Acetate	60.484	201.613		ND	Tested
Heptane	60.484	201.613		ND	Tested
n-Hexane	1.210	4.032		ND	Tested
2,2-Dimethylbutane	1.210	4.032		ND	Tested
3-Methylpentane	1.210	4.032		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.419	8.065		ND	Tested
Methanol	24.194	80.645		ND	Tested
Isopentane	55.645	185.484		ND	Tested
n-Pentane	24.194	80.645		ND	Tested
Neopentane	55.645	185.484		ND	Tested
2-Propanol	60.484	201.613		ND	Tested
Propane	241.935	806.452		ND	Tested
Toluene	0.121	0.403		ND	Tested
Ethylbenzene	0.121	0.403		ND	Tested
m/p-Xylene	0.121	0.403		ND	Tested
o-Xylene	0.121	0.403		ND	Tested
1,1-Dichloroethene	0.484	1.613		ND	Tested
1,2-Dichloroethane	0.484	1.613		ND	Tested
Ethylene Oxide	1.210	4.032		ND	Tested
Acetonitrile	4.839	16.129		ND	Tested
Chloroform	0.484	1.613		ND	Tested
Ethyl Ether	60.484	201.613		ND	Tested
Dichloromethane	24.194	80.645		ND	Tested
Trichloroethene	4.839	16.129		ND	Tested
2,3-Butanedione	24.194	80.645		ND	Tested

Date Tested: 06/23/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2959

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT08

Batch#: MWLG30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/18/2026	Complete
Residual Solvents	06/23/2026	Complete
Microbials	06/15/2026	Complete
Mycotoxins	06/17/2026	Complete
Pesticides	06/17/2026	Complete
Heavy Metals	06/17/2026	Complete
Foreign Matter	06/15/2026	Not Detected

Cannabinoids

Complete

32.739 mg/unit

Total Δ9-THC

0.0090%

Δ9-THC

ND

Total CBD

32.739 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g
(6aR,9R)-d10-THC	0.9116	1.367	ND	ND
9R-HHC	0.9116	1.367	ND	ND
(6aR,9S)-d10-THC	0.9116	1.367	ND	ND
9S-HHC	0.9116	1.367	ND	ND
CBC	0.9116	1.367	ND	ND
CBCa	0.9116	1.367	ND	ND
CBD	0.9116	1.367	ND	ND
CBDa	0.9116	1.367	ND	ND
CBDV	0.9116	1.367	ND	ND
CBDVa	0.9116	1.367	ND	ND
CBG	0.9116	1.367	ND	ND
CBGa	0.9116	1.367	ND	ND
CBN	0.9116	1.367	ND	ND
CBNa	0.9116	1.367	ND	ND
Δ8-THC	0.9116	1.367	ND	ND
Δ9-THC	0.9116	1.367	32.739	0.08979
THCa	0.9116	1.367	ND	ND
THCp	0.9116	1.367	ND	ND
THCV	0.9116	1.367	ND	ND
THCVa	0.9116	1.367	ND	ND
Total THC			32.739	0.08979
Total CBD			ND	ND
Total			32.739	0.08979

Date Tested: 06/18/2026

Density: 1 mL = 1.03 g, Unit Mass: 364.620 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2959

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT08

Batch#: MWLG30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested	Fludioxonil	0.099	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested	Hexythiazox	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested	Imazalil	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested	Imidacloprid	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested	Kresoxim Methyl	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested	Malathion	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested	Metalaxyl	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested	Methiocarb	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested	Methomyl	0.099	0.030		ND	Tested
Captan	0.395	0.119		ND	Tested	Mevinphos	0.099	0.030		ND	Tested
Carbaryl	0.099	0.030		ND	Tested	Myclobutanil	0.099	0.030		ND	Tested
Carbofuran	0.099	0.030		ND	Tested	Naled	0.247	0.075		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested	Oxamyl	0.099	0.030		ND	Tested
Chlordane	0.079	0.024		ND	Tested	Paclobutrazol	0.099	0.030		ND	Tested
Chlorfenapyr	0.079	0.024		ND	Tested	Methyl Parathion	0.079	0.024		ND	Tested
Chlormequat	0.099	0.030		ND	Tested	Pentachloronitrobenzene	0.079	0.024		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested	Permethrins	0.099	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested	Phosmet	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested	Piperonyl Butoxide	0.099	0.030		ND	Tested
Cyfluthrin	0.079	0.024		ND	Tested	Prallethrin	0.099	0.030		ND	Tested
Cypermethrin	0.079	0.024		ND	Tested	Propiconazole	0.099	0.030		ND	Tested
Daminozide	0.099	0.030		ND	Tested	Propoxur	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested	Pyrethrins	0.494	0.148		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyridaben	0.099	0.030		ND	Tested
Dimethoate	0.099	0.030		ND	Tested	Spinetoram	0.099	0.030		ND	Tested
Dimethomorph	0.095	0.030		ND	Tested	Spinosad	0.101	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested	Spiromesifen	0.099	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested	Spirotetramat	0.099	0.030		ND	Tested
Etoxazole	0.099	0.030		ND	Tested	Spiroxamine	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested	Tebuconazole	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested	Thiacloprid	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested	Thiamethoxam	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested	Trifloxystrobin	0.099	0.030		ND	Tested
Flonicamid	0.099	0.030		ND	Tested						

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2959

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT08

Batch#: MWLG30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	9	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/15/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPM	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.050	0.100		ND	Tested
Cadmium	0.050	0.100		ND	Tested
Lead	0.050	0.100		ND	Tested
Mercury	0.050	0.100		ND	Tested
Palladium	0.050	0.249		ND	Tested
Selenium	0.050	0.100		ND	Tested

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Lemon Ginger 30mg

Sample ID: 2606NBL1073.2959

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/15/2026

Completed: 06/25/2026

Expires: 06/25/2027

External Lot ID: MWLG30LOT08

Batch#: MWLG30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	55.147	183.824		ND	Tested
Benzene	0.221	0.735		ND	Tested
n-Butane	50.735	169.118		ND	Tested
Isobutane	50.735	169.118		ND	Tested
Ethanol	55.147	183.824		1756.978	Tested
Ethyl Acetate	55.147	183.824		ND	Tested
Heptane	55.147	183.824		ND	Tested
n-Hexane	1.103	3.676		ND	Tested
2,2-Dimethylbutane	1.103	3.676		ND	Tested
3-Methylpentane	1.103	3.676		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.206	7.353		ND	Tested
Methanol	22.059	73.529		ND	Tested
Isopentane	50.735	169.118		ND	Tested
n-Pentane	22.059	73.529		ND	Tested
Neopentane	50.735	169.118		ND	Tested
2-Propanol	55.147	183.824		ND	Tested
Propane	220.588	735.294		ND	Tested
Toluene	0.110	0.368		ND	Tested
Ethylbenzene	0.110	0.368		ND	Tested
m/p-Xylene	0.110	0.368		ND	Tested
o-Xylene	0.110	0.368		ND	Tested
1,1-Dichloroethene	0.441	1.471		ND	Tested
1,2-Dichloroethane	0.441	1.471		ND	Tested
Ethylene Oxide	1.103	3.676		ND	Tested
Acetonitrile	4.412	14.706		ND	Tested
Chloroform	0.441	1.471		ND	Tested
Ethyl Ether	55.147	183.824		ND	Tested
Dichloromethane	22.059	73.529		ND	Tested
Trichloroethene	4.412	14.706		ND	Tested
2,3-Butanedione	22.059	73.529		ND	Tested

Date Tested: 06/23/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/25/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.