



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

1 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1096.3039

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/23/2026

Completed: 07/06/2026

Expires: 07/06/2027

External Lot ID: MWBT30LOT07

Batch#: MWBT30LOT07

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/25/2026	Pass
Residual Solvents	06/26/2026	Pass
Microbials	06/25/2026	Pass
Mycotoxins	06/25/2026	Pass
Pesticides	06/29/2026	Pass
Heavy Metals	06/24/2026	Pass
Foreign Matter	06/24/2026	Not Detected

Cannabinoids

Pass

32.888 mg/unit

Total Δ9-THC

0.0093%

Compliance Result

ND

Total CBD

32.888 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8885	1.333	ND	ND	ND
9R-HHC	0.8885	1.333	ND	ND	ND
(6aR,9S)-d10-THC	0.8885	1.333	ND	ND	ND
9S-HHC	0.8885	1.333	ND	ND	ND
CBC	0.8885	1.333	ND	ND	ND
CBCa	0.8885	1.333	ND	ND	ND
CBD	0.8885	1.333	ND	ND	ND
CBDa	0.8885	1.333	ND	ND	ND
CBDV	0.8885	1.333	ND	ND	ND
CBDVa	0.8885	1.333	ND	ND	ND
CBG	0.8885	1.333	ND	ND	ND
CBGa	0.8885	1.333	ND	ND	ND
CBN	0.8885	1.333	ND	ND	ND
CBNa	0.8885	1.333	ND	ND	ND
Δ8-THC	0.8885	1.333	ND	ND	ND
Δ9-THC	0.8885	1.333	32.888	0.09290	0.009
THCa	0.8885	1.333	ND	ND	ND
THCp	0.8885	1.333	ND	ND	ND
THCV	0.8885	1.333	ND	ND	ND
THCVa	0.8885	1.333	ND	ND	ND
Total THC			32.888	0.09290	0.009
Total CBD			ND	ND	ND
Total			32.888	0.09290	0.009

Date Tested: 06/25/2026

Density: 1 mL = 1.004 g, Unit Mass: 355.416 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

2 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1096.3039

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/23/2026

Completed: 07/06/2026

Expires: 07/06/2027

External Lot ID: MWBT30LOT07

Batch#: MWBT30LOT07

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.104	0.030	0.100	ND	Pass	Fludioxonil	0.100	0.030	0.100	ND	Pass
Acephate	0.100	0.030	0.100	ND	Pass	Hexythiazox	0.100	0.030	0.100	ND	Pass
Acequinocyl	0.100	0.030	0.100	ND	Pass	Imazalil	0.100	0.030	0.100	ND	Pass
Acetamiprid	0.100	0.030	0.100	ND	Pass	Imidacloprid	0.100	0.030	0.100	ND	Pass
Aldicarb	0.100	0.030	0.100	ND	Pass	Kresoxim Methyl	0.100	0.030	0.100	ND	Pass
Azoxystrobin	0.100	0.030	0.100	ND	Pass	Malathion	0.100	0.030	0.100	ND	Pass
Bifenazate	0.100	0.030	0.100	ND	Pass	Metalaxyl	0.100	0.030	0.100	ND	Pass
Bifenthrin	0.100	0.030	0.100	ND	Pass	Methiocarb	0.100	0.030	0.100	ND	Pass
Boscalid	0.100	0.030	0.100	ND	Pass	Methomyl	0.100	0.030	0.100	ND	Pass
Carbaryl	0.100	0.030	0.100	ND	Pass	Mevinphos	0.100	0.030	0.100	ND	Pass
Carbofuran	0.100	0.030	0.100	ND	Pass	Myclobutanil	0.100	0.030	0.100	ND	Pass
Chlorantraniliprole	0.100	0.030	0.100	ND	Pass	Oxamyl	0.100	0.030	0.100	ND	Pass
Chlordane	0.080	0.024	0.100	ND	Pass	Paclobutrazol	0.100	0.030	0.100	ND	Pass
Chlorpyrifos	0.100	0.030	0.100	ND	Pass	Permethrins	0.100	0.030	0.100	ND	Pass
Coumaphos	0.100	0.030	0.100	ND	Pass	Phosmet	0.100	0.030	0.100	ND	Pass
Cyfluthrin	0.080	0.024	0.100	ND	Pass	Piperonyl	0.100	0.030	0.100	ND	Pass
Cypermethrin	0.080	0.024	0.100	ND	Pass	Butoxide					
Daminozide	0.100	0.030	0.100	ND	Pass	Prallethrin	0.100	0.030	0.100	ND	Pass
Diazinon	0.100	0.030	0.100	ND	Pass	Propiconazole	0.100	0.030	0.100	ND	Pass
Dichlorvos	0.050	0.016	0.100	ND	Pass	Propoxur	0.100	0.030	0.100	ND	Pass
Dimethoate	0.100	0.030	0.100	ND	Pass	Pyridaben	0.100	0.030	0.100	ND	Pass
Dimethomorph	0.096	0.030	0.100	ND	Pass	Spinetoram	0.100	0.030	0.100	ND	Pass
Ethoprophos	0.100	0.030	0.100	ND	Pass	Spiromesifen	0.100	0.030	0.100	ND	Pass
Etofenprox	0.100	0.030	0.100	ND	Pass	Spirotetramat	0.100	0.030	0.100	ND	Pass
Etoxazole	0.100	0.030	0.100	ND	Pass	Spiroxamine	0.100	0.030	0.100	ND	Pass
Fenhexamid	0.100	0.030	0.100	ND	Pass	Tebuconazole	0.100	0.030	0.100	ND	Pass
Fenoxycarb	0.100	0.030	0.100	ND	Pass	Thiacloprid	0.100	0.030	0.100	ND	Pass
Fipronil	0.100	0.030	0.100	ND	Pass	Thiamethoxam	0.100	0.030	0.100	ND	Pass
Flonicamid	0.100	0.030	0.100	ND	Pass	Trifloxystrobin	0.100	0.030	0.100	ND	Pass

Date Tested: 06/29/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

3 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1096.3039

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/23/2026

Completed: 07/06/2026

Expires: 07/06/2027

External Lot ID: MWBT30LOT07

Batch#: MWBT30LOT07

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Pass
Enterobacteriaceae (BTGN)	9	ND	Pass
Yeast & Mold	8	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 06/25/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.6	5.0	20.0	ND	Pass
B2	1.6	5.0	20.0	ND	Pass
G1	1.6	5.0	20.0	ND	Pass
G2	1.6	5.0	20.0	ND	Pass
Ochratoxin A	6.0	20.0	20.0	ND	Pass

Date Tested: 06/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.095	0.500	ND	Pass
Cadmium	0.047	0.095	0.500	ND	Pass
Lead	0.047	0.095	0.500	ND	Pass
Mercury	0.047	0.095	0.500	ND	Pass

Date Tested: 06/24/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

4 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1096.3039

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/23/2026

Completed: 07/06/2026

Expires: 07/06/2027

External Lot ID: MWBT30LOT07

Batch#: MWBT30LOT07

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Butanes			800.000	ND	Pass
Ethanol	72.115	240.385	5000.000	<LOQ	Pass
Heptane	72.115	240.385	500.000	ND	Pass
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Hexanes			100.000	ND	Pass

Date Tested: 06/26/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane). The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/25/2026

Completed: 07/13/2026

Expires: 07/13/2027

External Lot ID: MWBT30LOT08

Batch#: MWBT30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/26/2026	Complete
Residual Solvents	06/26/2026	Complete
Microbials	06/26/2026	Complete
Mycotoxins	07/08/2026	Complete
Pesticides	07/06/2026	Complete
Heavy Metals	06/30/2026	Complete
Foreign Matter	06/25/2026	Not Detected

Cannabinoids

Complete

32.602 mg/unit

Total Δ^9 -THC

0.0089%

Δ^9 -THC

ND

Total CBD

32.602 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9124	1.369	ND	ND	ND
9R-HHC	0.9124	1.369	ND	ND	ND
(6aR,9S)-d10-THC	0.9124	1.369	ND	ND	ND
9S-HHC	0.9124	1.369	ND	ND	ND
CBC	0.9124	1.369	ND	ND	ND
CBCa	0.9124	1.369	ND	ND	ND
CBD	0.9124	1.369	ND	ND	ND
CBDa	0.9124	1.369	ND	ND	ND
CBDV	0.9124	1.369	ND	ND	ND
CBDVa	0.9124	1.369	ND	ND	ND
CBG	0.9124	1.369	ND	ND	ND
CBGa	0.9124	1.369	ND	ND	ND
CBN	0.9124	1.369	ND	ND	ND
CBNa	0.9124	1.369	ND	ND	ND
Δ^8 -THC	0.9124	1.369	ND	ND	ND
Δ^9 -THC	0.9124	1.369	32.602	0.09210	0.009
THCa	0.9124	1.369	ND	ND	ND
THCp	0.9124	1.369	ND	ND	ND
THCV	0.9124	1.369	ND	ND	ND
THCVa	0.9124	1.369	ND	ND	ND
Total THC			32.602	0.09210	0.009
Total CBD			ND	ND	ND
Total			32.602	0.09210	0.009

Date Tested: 06/26/2026

Density: 1 mL = 1.031 g, Unit Mass: 364.974 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ^9 -THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/25/2026

Completed: 07/13/2026

Expires: 07/13/2027

External Lot ID: MWBT30LOT08

Batch#: MWBT30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.100	0.029		ND	Tested	Fludioxonil	0.096	0.029		ND	Tested
Acephate	0.096	0.029		ND	Tested	Hexythiazox	0.096	0.029		ND	Tested
Acequinocyl	0.096	0.029		ND	Tested	Imazalil	0.096	0.029		ND	Tested
Acetamiprid	0.096	0.029		ND	Tested	Imidacloprid	0.096	0.029		ND	Tested
Aldicarb	0.096	0.029		ND	Tested	Kresoxim Methyl	0.096	0.029		ND	Tested
Azoxystrobin	0.096	0.029		ND	Tested	Malathion	0.096	0.029		ND	Tested
Bifenazate	0.096	0.029		ND	Tested	Metalaxyl	0.096	0.029		ND	Tested
Bifenthrin	0.096	0.029		ND	Tested	Methiocarb	0.096	0.029		ND	Tested
Boscalid	0.096	0.029		ND	Tested	Methomyl	0.096	0.029		ND	Tested
Captan	0.383	0.115		ND	Tested	Mevinphos	0.096	0.029		ND	Tested
Carbaryl	0.096	0.029		ND	Tested	Myclobutanil	0.096	0.029		ND	Tested
Carbofuran	0.096	0.029		ND	Tested	Naled	0.239	0.073		ND	Tested
Chlorantraniliprole	0.096	0.029		ND	Tested	Oxamyl	0.096	0.029		ND	Tested
Chlordane	0.077	0.023		ND	Tested	Paclobutrazol	0.096	0.029		ND	Tested
Chlorfenapyr	0.077	0.023		ND	Tested	Methyl Parathion	0.077	0.023		ND	Tested
Chlormequat	0.096	0.029		ND	Tested	Pentachloronitrobenzene	0.077	0.023		ND	Tested
Chlorpyrifos	0.096	0.029		ND	Tested	Permethrins	0.096	0.029		ND	Tested
Clofentezine	0.096	0.029		ND	Tested	Phosmet	0.096	0.029		ND	Tested
Coumaphos	0.096	0.029		ND	Tested	Piperonyl Butoxide	0.096	0.029		ND	Tested
Cyfluthrin	0.077	0.023		ND	Tested	Prallethrin	0.096	0.029		ND	Tested
Cypermethrin	0.077	0.023		ND	Tested	Propiconazole	0.096	0.029		ND	Tested
Daminozide	0.096	0.029		ND	Tested	Propoxur	0.096	0.029		ND	Tested
Diazinon	0.096	0.029		ND	Tested	Pyrethrins	0.479	0.144		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested	Pyridaben	0.096	0.029		ND	Tested
Dimethoate	0.096	0.029		ND	Tested	Spinetoram	0.096	0.029		ND	Tested
Dimethomorph	0.092	0.029		ND	Tested	Spinosad	0.098	0.029		ND	Tested
Ethoprophos	0.096	0.029		ND	Tested	Spiromesifen	0.096	0.029		ND	Tested
Etofenprox	0.096	0.029		ND	Tested	Spirotetramat	0.096	0.029		ND	Tested
Etoxazole	0.096	0.029		ND	Tested	Spiroxamine	0.096	0.029		ND	Tested
Fenhexamid	0.096	0.029		ND	Tested	Tebuconazole	0.096	0.029		ND	Tested
Fenoxycarb	0.096	0.029		ND	Tested	Thiacloprid	0.096	0.029		ND	Tested
Fenpyroximate	0.096	0.029		ND	Tested	Thiamethoxam	0.096	0.029		ND	Tested
Fipronil	0.096	0.029		ND	Tested	Trifloxystrobin	0.096	0.029		ND	Tested
Flonicamid	0.096	0.029		ND	Tested						

Date Tested: 07/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/25/2026

Completed: 07/13/2026

Expires: 07/13/2027

External Lot ID: MWBT30LOT08

Batch#: MWBT30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/26/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.5	4.8		ND	Tested
B2	1.5	4.8		ND	Tested
G1	1.5	4.8		ND	Tested
G2	1.5	4.8		ND	Tested
Total Aflatoxins	1.5	4.8		ND	Tested
Ochratoxin A	5.7	19.2		ND	Tested

Date Tested: 07/08/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.243		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 06/30/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Berry Twist 30mg

Sample ID: 2606NBL1133.3120

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/25/2026

Completed: 07/13/2026

Expires: 07/13/2027

External Lot ID: MWBT30LOT08

Batch#: MWBT30LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		<LOQ	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
1,1-Dichloroethene	0.536	1.786		ND	Tested
1,2-Dichloroethane	0.536	1.786		ND	Tested
Ethylene Oxide	1.339	4.464		ND	Tested
Acetonitrile	5.357	17.857		ND	Tested
Chloroform	0.536	1.786		ND	Tested
Ethyl Ether	66.964	223.214		ND	Tested
Dichloromethane	26.786	89.286		ND	Tested
Trichloroethene	5.357	17.857		ND	Tested
2,3-Butanedione	26.786	89.286		ND	Tested

Date Tested: 06/26/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.