



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2721

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT03

Batch#: MWSL60LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/04/2026	Complete
Residual Solvents	06/09/2026	Complete
Microbials	06/05/2026	Complete
Mycotoxins	06/06/2026	Complete
Pesticides	06/06/2026	Complete
Heavy Metals	06/10/2026	Complete
Foreign Matter	06/04/2026	Not Detected

Cannabinoids

Complete

65.747 mg/unit Total THC	0.0179% Δ^9 -THC	ND Total CBD	65.747 mg/unit Total Cannabinoids
-----------------------------	----------------------------	-----------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9169	1.375	ND	ND	ND
9R-HHC	0.9169	1.375	ND	ND	ND
(6aR,9S)-d10-THC	0.9169	1.375	ND	ND	ND
9S-HHC	0.9169	1.375	ND	ND	ND
CBC	0.9169	1.375	ND	ND	ND
CBCa	0.9169	1.375	ND	ND	ND
CBD	0.9169	1.375	ND	ND	ND
CBDa	0.9169	1.375	ND	ND	ND
CBDV	0.9169	1.375	ND	ND	ND
CBDVa	0.9169	1.375	ND	ND	ND
CBG	0.9169	1.375	ND	ND	ND
CBGa	0.9169	1.375	ND	ND	ND
CBN	0.9169	1.375	ND	ND	ND
CBNa	0.9169	1.375	ND	ND	ND
Δ^8 -THC	0.9169	1.375	ND	ND	ND
Δ^9 -THC	0.9169	1.375	65.747	0.18573	0.018
THCa	0.9169	1.375	ND	ND	ND
THCp	0.9169	1.375	ND	ND	ND
THCV	0.9169	1.375	ND	ND	ND
THCVa	0.9169	1.375	ND	ND	ND
Total THC			65.747	0.18573	0.018
Total CBD			ND	ND	ND
Total			65.747	0.18573	0.018

Date Tested: 06/04/2026

Density: 1 mL = 1.036 g, Unit Mass: 366.744 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2721

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT03

Batch#: MWSL60LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.087	0.025		ND	Tested	Fludioxonil	0.084	0.025		ND	Tested
Acephate	0.084	0.025		ND	Tested	Hexythiazox	0.084	0.025		ND	Tested
Acequinocyl	0.084	0.025		ND	Tested	Imazalil	0.084	0.025		ND	Tested
Acetamiprid	0.084	0.025		ND	Tested	Imidacloprid	0.084	0.025		ND	Tested
Aldicarb	0.084	0.025		ND	Tested	Kresoxim Methyl	0.084	0.025		ND	Tested
Azoxystrobin	0.084	0.025		ND	Tested	Malathion	0.084	0.025		ND	Tested
Bifenazate	0.084	0.025		ND	Tested	Metalaxyl	0.084	0.025		ND	Tested
Bifenthrin	0.084	0.025		ND	Tested	Methiocarb	0.084	0.025		ND	Tested
Boscalid	0.084	0.025		ND	Tested	Methomyl	0.084	0.025		ND	Tested
Captan	0.336	0.101		ND	Tested	Mevinphos	0.084	0.025		ND	Tested
Carbaryl	0.084	0.025		ND	Tested	Myclobutanil	0.084	0.025		ND	Tested
Carbofuran	0.084	0.025		ND	Tested	Naled	0.210	0.064		ND	Tested
Chlorantraniliprole	0.084	0.025		ND	Tested	Oxamyl	0.084	0.025		ND	Tested
Chlordane	0.013	0.004		ND	Tested	Paclobutrazol	0.084	0.025		ND	Tested
Chlorfenapyr	0.067	0.020		ND	Tested	Methyl Parathion	0.067	0.020		ND	Tested
Chlormequat	0.084	0.025		ND	Tested	Pentachloronitrobenzene	0.067	0.020		ND	Tested
Chlorpyrifos	0.084	0.025		ND	Tested	Permethrins	0.084	0.025		ND	Tested
Clofentezine	0.084	0.025		ND	Tested	Phosmet	0.084	0.025		ND	Tested
Coumaphos	0.084	0.025		ND	Tested	Piperonyl Butoxide	0.084	0.025		ND	Tested
Cyfluthrin	0.419	0.126		ND	Tested	Prallethrin	0.084	0.025		ND	Tested
Cypermethrin	0.419	0.126		ND	Tested	Propiconazole	0.084	0.025		ND	Tested
Daminozide	0.084	0.025		ND	Tested	Propoxur	0.084	0.025		ND	Tested
Diazinon	0.084	0.025		ND	Tested	Pyrethrins	0.419	0.126		ND	Tested
Dichlorvos	0.042	0.013		ND	Tested	Pyridaben	0.084	0.025		ND	Tested
Dimethoate	0.084	0.025		ND	Tested	Spinetoram	0.084	0.025		ND	Tested
Dimethomorph	0.081	0.025		ND	Tested	Spinosad	0.086	0.025		ND	Tested
Ethoprophos	0.084	0.025		ND	Tested	Spiromesifen	0.084	0.025		ND	Tested
Etofenprox	0.084	0.025		ND	Tested	Spirotetramat	0.084	0.025		ND	Tested
Etoxazole	0.084	0.025		ND	Tested	Spiroxamine	0.084	0.025		ND	Tested
Fenhexamid	0.084	0.025		ND	Tested	Tebuconazole	0.084	0.025		ND	Tested
Fenoxycarb	0.084	0.025		ND	Tested	Thiacloprid	0.084	0.025		ND	Tested
Fenpyroximate	0.084	0.025		ND	Tested	Thiamethoxam	0.084	0.025		ND	Tested
Fipronil	0.084	0.025		ND	Tested	Trifloxystrobin	0.084	0.025		ND	Tested
Flonicamid	0.084	0.025		ND	Tested						

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2721

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT03

Batch#: MWSL60LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	8	ND	Tested
Enterobacteriaceae (BTGN)	8	ND	Tested
Coliforms	8	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	8	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/05/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	4		ND	Tested
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	17		ND	Tested

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.095		ND	Tested
Cadmium	0.047	0.095		ND	Tested
Lead	0.047	0.095		ND	Tested
Mercury	0.047	0.095		ND	Tested
Palladium	0.047	0.237		ND	Tested
Selenium	0.047	0.095		ND	Tested

Date Tested: 06/10/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2721

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT03

Batch#: MWSL60LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		505.396	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
1,1-Dichloroethene	0.536	1.786		ND	Tested
1,2-Dichloroethane	0.536	1.786		ND	Tested
Ethylene Oxide	1.339	4.464		ND	Tested
Acetonitrile	5.357	17.857		ND	Tested
Chloroform	0.536	1.786		ND	Tested
Ethyl Ether	66.964	223.214		ND	Tested
Dichloromethane	26.786	89.286		ND	Tested
Trichloroethene	5.357	17.857		ND	Tested
2,3-Butanedione	26.786	89.286		ND	Tested

Date Tested: 06/09/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2722

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT04

Batch#: MWSL60LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/04/2026	Complete
Residual Solvents	06/09/2026	Complete
Microbials	06/05/2026	Complete
Mycotoxins	06/06/2026	Complete
Pesticides	06/06/2026	Complete
Heavy Metals	06/10/2026	Complete
Foreign Matter	06/04/2026	Not Detected

Cannabinoids

Complete

64.517 mg/unit Total THC	0.0178% Δ^9 -THC	ND Total CBD	64.517 mg/unit Total Cannabinoids
-----------------------------	----------------------------	-----------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9062	1.359	ND	ND	ND
9R-HHC	0.9062	1.359	ND	ND	ND
(6aR,9S)-d10-THC	0.9062	1.359	ND	ND	ND
9S-HHC	0.9062	1.359	ND	ND	ND
CBC	0.9062	1.359	ND	ND	ND
CBCa	0.9062	1.359	ND	ND	ND
CBD	0.9062	1.359	ND	ND	ND
CBDa	0.9062	1.359	ND	ND	ND
CBDV	0.9062	1.359	ND	ND	ND
CBDVa	0.9062	1.359	ND	ND	ND
CBG	0.9062	1.359	ND	ND	ND
CBGa	0.9062	1.359	ND	ND	ND
CBN	0.9062	1.359	ND	ND	ND
CBNa	0.9062	1.359	ND	ND	ND
Δ^8 -THC	0.9062	1.359	ND	ND	ND
Δ^9 -THC	0.9062	1.359	64.517	0.18225	0.018
THCa	0.9062	1.359	ND	ND	ND
THCp	0.9062	1.359	ND	ND	ND
THCV	0.9062	1.359	ND	ND	ND
THCVa	0.9062	1.359	ND	ND	ND
Total THC			64.517	0.18225	0.018
Total CBD			ND	ND	ND
Total			64.517	0.18225	0.018

Date Tested: 06/04/2026

Density: 1 mL = 1.024 g, Unit Mass: 362.496 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2722

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT04

Batch#: MWSL60LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029		ND	Tested	Fludioxonil	0.098	0.029		ND	Tested
Acephate	0.098	0.029		ND	Tested	Hexythiazox	0.098	0.029		ND	Tested
Acequinocyl	0.098	0.029		ND	Tested	Imazalil	0.098	0.029		ND	Tested
Acetamiprid	0.098	0.029		ND	Tested	Imidacloprid	0.098	0.029		ND	Tested
Aldicarb	0.098	0.029		ND	Tested	Kresoxim Methyl	0.098	0.029		ND	Tested
Azoxystrobin	0.098	0.029		ND	Tested	Malathion	0.098	0.029		ND	Tested
Bifenazate	0.098	0.029		ND	Tested	Metalaxyl	0.098	0.029		ND	Tested
Bifenthrin	0.098	0.029		ND	Tested	Methiocarb	0.098	0.029		ND	Tested
Boscalid	0.098	0.029		ND	Tested	Methomyl	0.098	0.029		ND	Tested
Captan	0.391	0.117		ND	Tested	Mevinphos	0.098	0.029		ND	Tested
Carbaryl	0.098	0.029		ND	Tested	Myclobutanil	0.098	0.029		ND	Tested
Carbofuran	0.098	0.029		ND	Tested	Naled	0.244	0.074		ND	Tested
Chlorantraniliprole	0.098	0.029		ND	Tested	Oxamyl	0.098	0.029		ND	Tested
Chlordane	0.016	0.005		ND	Tested	Paclobutrazol	0.098	0.029		ND	Tested
Chlorfenapyr	0.078	0.023		ND	Tested	Methyl Parathion	0.078	0.023		ND	Tested
Chlormequat	0.098	0.029		ND	Tested	Pentachloronitrobenzene	0.078	0.023		ND	Tested
Chlorpyrifos	0.098	0.029		ND	Tested	Permethrins	0.098	0.029		ND	Tested
Clofentezine	0.098	0.029		ND	Tested	Phosmet	0.098	0.029		ND	Tested
Coumaphos	0.098	0.029		ND	Tested	Piperonyl Butoxide	0.098	0.029		ND	Tested
Cyfluthrin	0.488	0.146		ND	Tested	Prallethrin	0.098	0.029		ND	Tested
Cypermethrin	0.488	0.146		ND	Tested	Propiconazole	0.098	0.029		ND	Tested
Daminozide	0.098	0.029		ND	Tested	Propoxur	0.098	0.029		ND	Tested
Diazinon	0.098	0.029		ND	Tested	Pyrethrins	0.488	0.146		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyridaben	0.098	0.029		ND	Tested
Dimethoate	0.098	0.029		ND	Tested	Spinetoram	0.098	0.029		ND	Tested
Dimethomorph	0.094	0.029		ND	Tested	Spinosad	0.100	0.029		ND	Tested
Ethoprophos	0.098	0.029		ND	Tested	Spiromesifen	0.098	0.029		ND	Tested
Etofenprox	0.098	0.029		ND	Tested	Spirotetramat	0.098	0.029		ND	Tested
Etoxazole	0.098	0.029		ND	Tested	Spiroxamine	0.098	0.029		ND	Tested
Fenhexamid	0.098	0.029		ND	Tested	Tebuconazole	0.098	0.029		ND	Tested
Fenoxycarb	0.098	0.029		ND	Tested	Thiacloprid	0.098	0.029		ND	Tested
Fenpyroximate	0.098	0.029		ND	Tested	Thiamethoxam	0.098	0.029		ND	Tested
Fipronil	0.098	0.029		ND	Tested	Trifloxystrobin	0.098	0.029		ND	Tested
Flonicamid	0.098	0.029		ND	Tested						

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2722

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT04

Batch#: MWSL60LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	27	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	818	818	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/05/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.098		ND	Tested
Cadmium	0.049	0.098		ND	Tested
Lead	0.049	0.098		ND	Tested
Mercury	0.049	0.098		ND	Tested
Palladium	0.049	0.244		ND	Tested
Selenium	0.049	0.098		ND	Tested

Date Tested: 06/10/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2722

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT04

Batch#: MWSL60LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	69.444	231.481		ND	Tested
Benzene	0.278	0.926		ND	Tested
n-Butane	63.889	212.963		ND	Tested
Isobutane	63.889	212.963		ND	Tested
Ethanol	69.444	231.481		516.560	Tested
Ethyl Acetate	69.444	231.481		ND	Tested
Heptane	69.444	231.481		ND	Tested
n-Hexane	1.389	4.630		ND	Tested
2,2-Dimethylbutane	1.389	4.630		ND	Tested
3-Methylpentane	1.389	4.630		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.778	9.259		ND	Tested
Methanol	27.778	92.593		ND	Tested
Isopentane	63.889	212.963		ND	Tested
n-Pentane	27.778	92.593		ND	Tested
Neopentane	63.889	212.963		ND	Tested
2-Propanol	69.444	231.481		ND	Tested
Propane	277.778	925.926		ND	Tested
Toluene	0.139	0.463		ND	Tested
Ethylbenzene	0.139	0.463		ND	Tested
m/p-Xylene	0.139	0.463		ND	Tested
o-Xylene	0.139	0.463		ND	Tested
1,1-Dichloroethene	0.556	1.852		ND	Tested
1,2-Dichloroethane	0.556	1.852		ND	Tested
Ethylene Oxide	1.389	4.630		ND	Tested
Acetonitrile	5.556	18.519		ND	Tested
Chloroform	0.556	1.852		ND	Tested
Ethyl Ether	69.444	231.481		ND	Tested
Dichloromethane	27.778	92.593		ND	Tested
Trichloroethene	5.556	18.519		ND	Tested
2,3-Butanedione	27.778	92.593		ND	Tested

Date Tested: 06/09/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2723

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT05

Batch#: MWSL60LOT05

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/04/2026	Complete
Residual Solvents	06/09/2026	Complete
Microbials	06/05/2026	Complete
Mycotoxins	06/06/2026	Complete
Pesticides	06/06/2026	Complete
Heavy Metals	06/10/2026	Complete
Foreign Matter	06/04/2026	Not Detected

Cannabinoids

Complete

65.759 mg/unit

Total THC

0.0178%

Δ^9 -THC

ND

Total CBD

65.759 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9213	1.382	ND	ND	ND
9R-HHC	0.9213	1.382	ND	ND	ND
(6aR,9S)-d10-THC	0.9213	1.382	ND	ND	ND
9S-HHC	0.9213	1.382	ND	ND	ND
CBC	0.9213	1.382	ND	ND	ND
CBCa	0.9213	1.382	ND	ND	ND
CBD	0.9213	1.382	ND	ND	ND
CBDa	0.9213	1.382	ND	ND	ND
CBDV	0.9213	1.382	ND	ND	ND
CBDVa	0.9213	1.382	ND	ND	ND
CBG	0.9213	1.382	ND	ND	ND
CBGa	0.9213	1.382	ND	ND	ND
CBN	0.9213	1.382	ND	ND	ND
CBNa	0.9213	1.382	ND	ND	ND
Δ^8 -THC	0.9213	1.382	ND	ND	ND
Δ^9 -THC	0.9213	1.382	65.759	0.18576	0.018
THCa	0.9213	1.382	ND	ND	ND
THCp	0.9213	1.382	ND	ND	ND
THCV	0.9213	1.382	ND	ND	ND
THCVa	0.9213	1.382	ND	ND	ND
Total THC			65.759	0.18576	0.018
Total CBD			ND	ND	ND
Total			65.759	0.18576	0.018

Date Tested: 06/04/2026

Density: 1 mL = 1.041 g, Unit Mass: 368.514 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2723

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT05

Batch#: MWSL60LOT05

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.098	0.028		ND	Tested	Fludioxonil	0.094	0.028		ND	Tested
Acephate	0.094	0.028		ND	Tested	Hexythiazox	0.094	0.028		ND	Tested
Acequinocyl	0.094	0.028		ND	Tested	Imazalil	0.094	0.028		ND	Tested
Acetamiprid	0.094	0.028		ND	Tested	Imidacloprid	0.094	0.028		ND	Tested
Aldicarb	0.094	0.028		ND	Tested	Kresoxim Methyl	0.094	0.028		ND	Tested
Azoxystrobin	0.094	0.028		ND	Tested	Malathion	0.094	0.028		ND	Tested
Bifenazate	0.094	0.028		ND	Tested	Metalaxyl	0.094	0.028		ND	Tested
Bifenthrin	0.094	0.028		ND	Tested	Methiocarb	0.094	0.028		ND	Tested
Boscalid	0.094	0.028		ND	Tested	Methomyl	0.094	0.028		ND	Tested
Captan	0.377	0.113		ND	Tested	Mevinphos	0.094	0.028		ND	Tested
Carbaryl	0.094	0.028		ND	Tested	Myclobutanil	0.094	0.028		ND	Tested
Carbofuran	0.094	0.028		ND	Tested	Naled	0.235	0.072		ND	Tested
Chlorantraniliprole	0.094	0.028		ND	Tested	Oxamyl	0.094	0.028		ND	Tested
Chlordane	0.015	0.005		ND	Tested	Paclobutrazol	0.094	0.028		ND	Tested
Chlorfenapyr	0.075	0.023		ND	Tested	Methyl Parathion	0.075	0.023		ND	Tested
Chlormequat	0.094	0.028		ND	Tested	Pentachloronitrobenzene	0.075	0.023		ND	Tested
Chlorpyrifos	0.094	0.028		ND	Tested	Permethrins	0.094	0.028		ND	Tested
Clofentezine	0.094	0.028		ND	Tested	Phosmet	0.094	0.028		ND	Tested
Coumaphos	0.094	0.028		ND	Tested	Piperonyl Butoxide	0.094	0.028		ND	Tested
Cyfluthrin	0.471	0.141		ND	Tested	Prallethrin	0.094	0.028		ND	Tested
Cypermethrin	0.471	0.141		ND	Tested	Propiconazole	0.094	0.028		ND	Tested
Daminozide	0.094	0.028		ND	Tested	Propoxur	0.094	0.028		ND	Tested
Diazinon	0.094	0.028		ND	Tested	Pyrethrins	0.471	0.141		ND	Tested
Dichlorvos	0.047	0.015		ND	Tested	Pyridaben	0.094	0.028		ND	Tested
Dimethoate	0.094	0.028		ND	Tested	Spinetoram	0.094	0.028		ND	Tested
Dimethomorph	0.090	0.028		ND	Tested	Spinosad	0.096	0.028		ND	Tested
Ethoprophos	0.094	0.028		ND	Tested	Spiromesifen	0.094	0.028		ND	Tested
Etofenprox	0.094	0.028		ND	Tested	Spirotetramat	0.094	0.028		ND	Tested
Etoxazole	0.094	0.028		ND	Tested	Spiroxamine	0.094	0.028		ND	Tested
Fenhexamid	0.094	0.028		ND	Tested	Tebuconazole	0.094	0.028		ND	Tested
Fenoxycarb	0.094	0.028		ND	Tested	Thiacloprid	0.094	0.028		ND	Tested
Fenpyroximate	0.094	0.028		ND	Tested	Thiamethoxam	0.094	0.028		ND	Tested
Fipronil	0.094	0.028		ND	Tested	Trifloxystrobin	0.094	0.028		ND	Tested
Flonicamid	0.094	0.028		ND	Tested						

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2723

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT05

Batch#: MWSL60LOT05

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	10	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/05/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.092		ND	Tested
Cadmium	0.046	0.092		ND	Tested
Lead	0.046	0.092		ND	Tested
Mercury	0.046	0.092		ND	Tested
Palladium	0.046	0.230		ND	Tested
Selenium	0.046	0.092		ND	Tested

Date Tested: 06/10/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Strawberry Lemonade 60mg

Sample ID: 2606NBL0982.2723

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/04/2026

Completed: 06/15/2026

Expires: 06/15/2027

External Lot ID: MWSL60LOT05

Batch#: MWSL60LOT05

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	69.444	231.481		ND	Tested
Benzene	0.278	0.926		ND	Tested
n-Butane	63.889	212.963		ND	Tested
Isobutane	63.889	212.963		ND	Tested
Ethanol	69.444	231.481		522.474	Tested
Ethyl Acetate	69.444	231.481		ND	Tested
Heptane	69.444	231.481		ND	Tested
n-Hexane	1.389	4.630		ND	Tested
2,2-Dimethylbutane	1.389	4.630		ND	Tested
3-Methylpentane	1.389	4.630		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.778	9.259		ND	Tested
Methanol	27.778	92.593		ND	Tested
Isopentane	63.889	212.963		ND	Tested
n-Pentane	27.778	92.593		ND	Tested
Neopentane	63.889	212.963		ND	Tested
2-Propanol	69.444	231.481		ND	Tested
Propane	277.778	925.926		ND	Tested
Toluene	0.139	0.463		ND	Tested
Ethylbenzene	0.139	0.463		ND	Tested
m/p-Xylene	0.139	0.463		ND	Tested
o-Xylene	0.139	0.463		ND	Tested
1,1-Dichloroethene	0.556	1.852		ND	Tested
1,2-Dichloroethane	0.556	1.852		ND	Tested
Ethylene Oxide	1.389	4.630		ND	Tested
Acetonitrile	5.556	18.519		ND	Tested
Chloroform	0.556	1.852		ND	Tested
Ethyl Ether	69.444	231.481		ND	Tested
Dichloromethane	27.778	92.593		ND	Tested
Trichloroethene	5.556	18.519		ND	Tested
2,3-Butanedione	27.778	92.593		ND	Tested

Date Tested: 06/09/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/15/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.