



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3034

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT09

Batch#: MWBT60LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/23/2026	Complete
Residual Solvents	06/23/2026	Complete
Microbials	06/18/2026	Complete
Mycotoxins	06/25/2026	Complete
Pesticides	06/29/2026	Complete
Heavy Metals	06/24/2026	Complete
Foreign Matter	06/18/2026	Not Detected

Cannabinoids

Complete

66.682 mg/unit

Total Δ9-THC

0.0185%

Δ9-THC

ND

Total CBD

66.682 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9009	1.351	ND	ND	ND
9R-HHC	0.9009	1.351	ND	ND	ND
(6aR,9S)-d10-THC	0.9009	1.351	ND	ND	ND
9S-HHC	0.9009	1.351	ND	ND	ND
CBC	0.9009	1.351	ND	ND	ND
CBCa	0.9009	1.351	ND	ND	ND
CBD	0.9009	1.351	ND	ND	ND
CBDa	0.9009	1.351	ND	ND	ND
CBDV	0.9009	1.351	ND	ND	ND
CBDVa	0.9009	1.351	ND	ND	ND
CBG	0.9009	1.351	<LOQ	<LOQ	<LOQ
CBGa	0.9009	1.351	ND	ND	ND
CBN	0.9009	1.351	ND	ND	ND
CBNa	0.9009	1.351	ND	ND	ND
Δ8-THC	0.9009	1.351	ND	ND	ND
Δ9-THC	0.9009	1.351	66.682	0.18837	0.019
THCa	0.9009	1.351	ND	ND	ND
THCp	0.9009	1.351	ND	ND	ND
THCV	0.9009	1.351	ND	ND	ND
THCVa	0.9009	1.351	ND	ND	ND
Total THC			66.682	0.18837	0.019
Total CBD			ND	ND	ND
Total			66.682	0.18837	0.019

Date Tested: 06/23/2026

Density: 1 mL = 1.018 g, Unit Mass: 360.372 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%; Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3034

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT09

Batch#: MWBT60LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.098	0.028		ND	Tested	Fludioxonil	0.094	0.028		ND	Tested
Acephate	0.094	0.028		ND	Tested	Hexythiazox	0.094	0.028		ND	Tested
Acequinocyl	0.094	0.028		ND	Tested	Imazalil	0.094	0.028		ND	Tested
Acetamiprid	0.094	0.028		ND	Tested	Imidacloprid	0.094	0.028		ND	Tested
Aldicarb	0.094	0.028		ND	Tested	Kresoxim Methyl	0.094	0.028		ND	Tested
Azoxystrobin	0.094	0.028		ND	Tested	Malathion	0.094	0.028		ND	Tested
Bifenazate	0.094	0.028		ND	Tested	Metalaxyl	0.094	0.028		ND	Tested
Bifenthrin	0.094	0.028		ND	Tested	Methiocarb	0.094	0.028		ND	Tested
Boscalid	0.094	0.028		ND	Tested	Methomyl	0.094	0.028		ND	Tested
Captan	0.375	0.113		ND	Tested	Mevinphos	0.094	0.028		ND	Tested
Carbaryl	0.094	0.028		ND	Tested	Myclobutanil	0.094	0.028		ND	Tested
Carbofuran	0.094	0.028		ND	Tested	Naled	0.235	0.071		ND	Tested
Chlorantraniliprole	0.094	0.028		ND	Tested	Oxamyl	0.094	0.028		ND	Tested
Chlordane	0.075	0.023		ND	Tested	Paclobutrazol	0.094	0.028		ND	Tested
Chlorfenapyr	0.075	0.023		ND	Tested	Methyl Parathion	0.075	0.023		ND	Tested
Chlormequat	0.094	0.028		ND	Tested	Pentachloronitrobenzene	0.075	0.023		ND	Tested
Chlorpyrifos	0.094	0.028		ND	Tested	Permethrins	0.094	0.028		ND	Tested
Clofentezine	0.094	0.028		ND	Tested	Phosmet	0.094	0.028		ND	Tested
Coumaphos	0.094	0.028		ND	Tested	Piperonyl Butoxide	0.094	0.028		ND	Tested
Cyfluthrin	0.075	0.023		ND	Tested	Prallethrin	0.094	0.028		ND	Tested
Cypermethrin	0.075	0.023		ND	Tested	Propiconazole	0.094	0.028		ND	Tested
Daminozide	0.094	0.028		ND	Tested	Propoxur	0.094	0.028		ND	Tested
Diazinon	0.094	0.028		ND	Tested	Pyrethrins	0.469	0.141		ND	Tested
Dichlorvos	0.047	0.015		ND	Tested	Pyridaben	0.094	0.028		ND	Tested
Dimethoate	0.094	0.028		ND	Tested	Spinetoram	0.094	0.028		ND	Tested
Dimethomorph	0.090	0.028		ND	Tested	Spinosad	0.096	0.028		ND	Tested
Ethoprophos	0.094	0.028		ND	Tested	Spiromesifen	0.094	0.028		ND	Tested
Etofenprox	0.094	0.028		ND	Tested	Spirotetramat	0.094	0.028		ND	Tested
Etoxazole	0.094	0.028		ND	Tested	Spiroxamine	0.094	0.028		ND	Tested
Fenhexamid	0.094	0.028		ND	Tested	Tebuconazole	0.094	0.028		ND	Tested
Fenoxycarb	0.094	0.028		ND	Tested	Thiacloprid	0.094	0.028		ND	Tested
Fenpyroximate	0.094	0.028		ND	Tested	Thiamethoxam	0.094	0.028		ND	Tested
Fipronil	0.094	0.028		ND	Tested	Trifloxystrobin	0.094	0.028		ND	Tested
Flonicamid	0.094	0.028		ND	Tested						

Date Tested: 06/29/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3034

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT09

Batch#: MWBT60LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/18/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPM	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 06/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.243		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 06/24/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3034

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT09

Batch#: MWBT60LOT09

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		<LOQ	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
1,1-Dichloroethene	0.600	2.000		ND	Tested
1,2-Dichloroethane	0.600	2.000		ND	Tested
Ethylene Oxide	1.500	5.000		ND	Tested
Acetonitrile	6.000	20.000		ND	Tested
Chloroform	0.600	2.000		ND	Tested
Ethyl Ether	75.000	250.000		ND	Tested
Dichloromethane	30.000	100.000		ND	Tested
Trichloroethene	6.000	20.000		ND	Tested
2,3-Butanedione	30.000	100.000		ND	Tested

Date Tested: 06/23/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3033

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT08

Batch#: MWBT60LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/23/2026	Complete
Residual Solvents	06/23/2026	Complete
Microbials	06/18/2026	Complete
Mycotoxins	06/25/2026	Complete
Pesticides	06/29/2026	Complete
Heavy Metals	06/24/2026	Complete
Foreign Matter	06/18/2026	Not Detected

Cannabinoids

Complete

66.515 mg/unit Total Δ9-THC	0.0185% Δ9-THC	ND Total CBD	66.515 mg/unit Total Cannabinoids
--------------------------------	-------------------	-----------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8965	1.345	ND	ND	ND
9R-HHC	0.8965	1.345	ND	ND	ND
(6aR,9S)-d10-THC	0.8965	1.345	ND	ND	ND
9S-HHC	0.8965	1.345	ND	ND	ND
CBC	0.8965	1.345	ND	ND	ND
CBCa	0.8965	1.345	ND	ND	ND
CBD	0.8965	1.345	ND	ND	ND
CBDa	0.8965	1.345	ND	ND	ND
CBDV	0.8965	1.345	ND	ND	ND
CBDVa	0.8965	1.345	ND	ND	ND
CBG	0.8965	1.345	<LOQ	<LOQ	<LOQ
CBGa	0.8965	1.345	ND	ND	ND
CBN	0.8965	1.345	ND	ND	ND
CBNa	0.8965	1.345	ND	ND	ND
Δ8-THC	0.8965	1.345	ND	ND	ND
Δ9-THC	0.8965	1.345	66.515	0.18790	0.019
THCa	0.8965	1.345	ND	ND	ND
THCp	0.8965	1.345	ND	ND	ND
THCV	0.8965	1.345	ND	ND	ND
THCVa	0.8965	1.345	ND	ND	ND
Total THC			66.515	0.18790	0.019
Total CBD			ND	ND	ND
Total			66.515	0.18790	0.019

Date Tested: 06/23/2026

Density: 1 mL = 1.013 g, Unit Mass: 358.602 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%; Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3033

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT08

Batch#: MWBT60LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029		ND	Tested	Fludioxonil	0.098	0.029		ND	Tested
Acephate	0.098	0.029		ND	Tested	Hexythiazox	0.098	0.029		ND	Tested
Acequinocyl	0.098	0.029		ND	Tested	Imazalil	0.098	0.029		ND	Tested
Acetamiprid	0.098	0.029		ND	Tested	Imidacloprid	0.098	0.029		ND	Tested
Aldicarb	0.098	0.029		ND	Tested	Kresoxim Methyl	0.098	0.029		ND	Tested
Azoxystrobin	0.098	0.029		ND	Tested	Malathion	0.098	0.029		ND	Tested
Bifenazate	0.098	0.029		ND	Tested	Metalaxyl	0.098	0.029		ND	Tested
Bifenthrin	0.098	0.029		ND	Tested	Methiocarb	0.098	0.029		ND	Tested
Boscalid	0.098	0.029		ND	Tested	Methomyl	0.098	0.029		ND	Tested
Captan	0.391	0.117		ND	Tested	Mevinphos	0.098	0.029		ND	Tested
Carbaryl	0.098	0.029		ND	Tested	Myclobutanil	0.098	0.029		ND	Tested
Carbofuran	0.098	0.029		ND	Tested	Naled	0.245	0.074		ND	Tested
Chlorantraniliprole	0.098	0.029		ND	Tested	Oxamyl	0.098	0.029		ND	Tested
Chlordane	0.078	0.023		ND	Tested	Paclobutrazol	0.098	0.029		ND	Tested
Chlorfenapyr	0.078	0.023		ND	Tested	Methyl Parathion	0.078	0.023		ND	Tested
Chlormequat	0.098	0.029		ND	Tested	Pentachloronitrobenzene	0.078	0.023		ND	Tested
Chlorpyrifos	0.098	0.029		ND	Tested	Permethrins	0.098	0.029		ND	Tested
Clofentezine	0.098	0.029		ND	Tested	Phosmet	0.098	0.029		ND	Tested
Coumaphos	0.098	0.029		ND	Tested	Piperonyl Butoxide	0.098	0.029		ND	Tested
Cyfluthrin	0.078	0.023		ND	Tested	Prallethrin	0.098	0.029		ND	Tested
Cypermethrin	0.078	0.023		ND	Tested	Propiconazole	0.098	0.029		ND	Tested
Daminozide	0.098	0.029		ND	Tested	Propoxur	0.098	0.029		ND	Tested
Diazinon	0.098	0.029		ND	Tested	Pyrethrins	0.489	0.147		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyridaben	0.098	0.029		ND	Tested
Dimethoate	0.098	0.029		ND	Tested	Spinetoram	0.098	0.029		ND	Tested
Dimethomorph	0.094	0.029		ND	Tested	Spinosad	0.100	0.029		ND	Tested
Ethoprophos	0.098	0.029		ND	Tested	Spiromesifen	0.098	0.029		ND	Tested
Etofenprox	0.098	0.029		ND	Tested	Spirotetramat	0.098	0.029		ND	Tested
Etoxazole	0.098	0.029		ND	Tested	Spiroxamine	0.098	0.029		ND	Tested
Fenhexamid	0.098	0.029		ND	Tested	Tebuconazole	0.098	0.029		ND	Tested
Fenoxycarb	0.098	0.029		ND	Tested	Thiacloprid	0.098	0.029		ND	Tested
Fenpyroximate	0.098	0.029		ND	Tested	Thiamethoxam	0.098	0.029		ND	Tested
Fipronil	0.098	0.029		ND	Tested	Trifloxystrobin	0.098	0.029		ND	Tested
Flonicamid	0.098	0.029		ND	Tested						

Date Tested: 06/29/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3033

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT08

Batch#: MWBT60LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/18/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPM	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 06/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096		ND	Tested
Cadmium	0.048	0.096		ND	Tested
Lead	0.048	0.096		ND	Tested
Mercury	0.048	0.096		ND	Tested
Palladium	0.048	0.241		ND	Tested
Selenium	0.048	0.096		ND	Tested

Date Tested: 06/24/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Berry Twist 60mg

Sample ID: 2606NBL1093.3033

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/18/2026

Completed: 06/30/2026

Expires: 06/30/2027

External Lot ID: MWBT60LOT08

Batch#: MWBT60LOT08

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	60.484	201.613		ND	Tested
Benzene	0.242	0.806		ND	Tested
n-Butane	55.645	185.484		ND	Tested
Isobutane	55.645	185.484		ND	Tested
Ethanol	60.484	201.613		<LOQ	Tested
Ethyl Acetate	60.484	201.613		ND	Tested
Heptane	60.484	201.613		ND	Tested
n-Hexane	1.210	4.032		ND	Tested
2,2-Dimethylbutane	1.210	4.032		ND	Tested
3-Methylpentane	1.210	4.032		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.419	8.065		ND	Tested
Methanol	24.194	80.645		ND	Tested
Isopentane	55.645	185.484		ND	Tested
n-Pentane	24.194	80.645		ND	Tested
Neopentane	55.645	185.484		ND	Tested
2-Propanol	60.484	201.613		ND	Tested
Propane	241.935	806.452		ND	Tested
Toluene	0.121	0.403		ND	Tested
Ethylbenzene	0.121	0.403		ND	Tested
m/p-Xylene	0.121	0.403		ND	Tested
o-Xylene	0.121	0.403		ND	Tested
1,1-Dichloroethene	0.484	1.613		ND	Tested
1,2-Dichloroethane	0.484	1.613		ND	Tested
Ethylene Oxide	1.210	4.032		ND	Tested
Acetonitrile	4.839	16.129		ND	Tested
Chloroform	0.484	1.613		ND	Tested
Ethyl Ether	60.484	201.613		ND	Tested
Dichloromethane	24.194	80.645		ND	Tested
Trichloroethene	4.839	16.129		ND	Tested
2,3-Butanedione	24.194	80.645		ND	Tested

Date Tested: 06/23/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.