



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

1 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL1007.2778

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT04

Batch#: MWSL30LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/12/2026	Pass
Residual Solvents	06/15/2026	Pass
Microbials	06/09/2026	Pass
Mycotoxins	06/12/2026	Pass
Pesticides	06/13/2026	Pass
Heavy Metals	06/17/2026	Pass
Foreign Matter	06/09/2026	Not Detected

Cannabinoids

Pass

31.228 mg/unit

Total THC

0.0087%

Compliance Result

ND

Total CBD

31.228 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.8939	1.341	ND	ND	ND
9R-HHC	0.8939	1.341	ND	ND	ND
(6aR,9S)-d10-THC	0.8939	1.341	ND	ND	ND
9S-HHC	0.8939	1.341	ND	ND	ND
CBC	0.8939	1.341	ND	ND	ND
CBCa	0.8939	1.341	ND	ND	ND
CBD	0.8939	1.341	ND	ND	ND
CBDa	0.8939	1.341	ND	ND	ND
CBDV	0.8939	1.341	ND	ND	ND
CBDVa	0.8939	1.341	ND	ND	ND
CBG	0.8939	1.341	ND	ND	ND
CBGa	0.8939	1.341	ND	ND	ND
CBN	0.8939	1.341	ND	ND	ND
CBNa	0.8939	1.341	ND	ND	ND
Δ8-THC	0.8939	1.341	ND	ND	ND
Δ9-THC	0.8939	1.341	31.228	0.08821	0.009
THCa	0.8939	1.341	ND	ND	ND
THCp	0.8939	1.341	ND	ND	ND
THCV	0.8939	1.341	ND	ND	ND
THCVa	0.8939	1.341	ND	ND	ND
Total THC			31.228	0.08821	0.009
Total CBD			ND	ND	ND
Total			31.228	0.08821	0.009

Date Tested: 06/12/2026

Density: 1 mL = 1.01 g, Unit Mass: 357.540 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

2 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL1007.2778

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT04

Batch#: MWSL30LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.096	0.028	0.100	ND	Pass	Fludioxonil	0.092	0.028	0.100	ND	Pass
Acephate	0.092	0.028	0.100	ND	Pass	Hexythiazox	0.092	0.028	0.100	ND	Pass
Acequinocyl	0.092	0.028	0.100	ND	Pass	Imazalil	0.092	0.028	0.100	ND	Pass
Acetamiprid	0.092	0.028	0.100	ND	Pass	Imidacloprid	0.092	0.028	0.100	ND	Pass
Aldicarb	0.092	0.028	0.100	ND	Pass	Kresoxim Methyl	0.092	0.028	0.100	ND	Pass
Azoxystrobin	0.092	0.028	0.100	ND	Pass	Malathion	0.092	0.028	0.100	ND	Pass
Bifenazate	0.092	0.028	0.100	ND	Pass	Metalaxyl	0.092	0.028	0.100	ND	Pass
Bifenthrin	0.092	0.028	0.100	ND	Pass	Methiocarb	0.092	0.028	0.100	ND	Pass
Boscalid	0.092	0.028	0.100	ND	Pass	Methomyl	0.092	0.028	0.100	ND	Pass
Carbaryl	0.092	0.028	0.100	ND	Pass	Mevinphos	0.092	0.028	0.100	ND	Pass
Carbofuran	0.092	0.028	0.100	ND	Pass	Myclobutanil	0.092	0.028	0.100	ND	Pass
Chlorantraniliprole	0.092	0.028	0.100	ND	Pass	Oxamyl	0.092	0.028	0.100	ND	Pass
Chlordane	0.015	0.004	0.100	ND	Pass	Paclobutrazol	0.092	0.028	0.100	ND	Pass
Chlorpyrifos	0.092	0.028	0.100	ND	Pass	Permethrins	0.092	0.028	0.100	ND	Pass
Coumaphos	0.092	0.028	0.100	ND	Pass	Phosmet	0.092	0.028	0.100	ND	Pass
Cyfluthrin	0.074	0.022	0.100	ND	Pass	Piperonyl	0.092	0.028	0.100	ND	Pass
Cypermethrin	0.074	0.022	0.100	ND	Pass	Butoxide					
Daminozide	0.092	0.028	0.100	ND	Pass	Prallethrin	0.092	0.028	0.100	ND	Pass
Diazinon	0.092	0.028	0.100	ND	Pass	Propiconazole	0.092	0.028	0.100	ND	Pass
Dichlorvos	0.046	0.015	0.100	ND	Pass	Propoxur	0.092	0.028	0.100	ND	Pass
Dimethoate	0.092	0.028	0.100	ND	Pass	Pyridaben	0.092	0.028	0.100	ND	Pass
Dimethomorph	0.089	0.028	0.100	ND	Pass	Spinetoram	0.092	0.028	0.100	ND	Pass
Ethoprophos	0.092	0.028	0.100	ND	Pass	Spiromesifen	0.092	0.028	0.100	ND	Pass
Etofenprox	0.092	0.028	0.100	ND	Pass	Spirotetramat	0.092	0.028	0.100	ND	Pass
Etoxazole	0.092	0.028	0.100	ND	Pass	Spiroxamine	0.092	0.028	0.100	ND	Pass
Fenhexamid	0.092	0.028	0.100	ND	Pass	Tebuconazole	0.092	0.028	0.100	ND	Pass
Fenoxycarb	0.092	0.028	0.100	ND	Pass	Thiacloprid	0.092	0.028	0.100	ND	Pass
Fipronil	0.092	0.028	0.100	ND	Pass	Thiamethoxam	0.092	0.028	0.100	ND	Pass
Flonicamid	0.092	0.028	0.100	ND	Pass	Trifloxystrobin	0.092	0.028	0.100	ND	Pass

Date Tested: 06/13/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

3 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL1007.2778

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT04

Batch#: MWSL30LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	8	ND	Pass
Enterobacteriaceae (BTGN)	8	ND	Pass
Yeast & Mold	9	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 06/09/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5	20	ND	Pass
B2	1	5	20	ND	Pass
G1	1	5	20	ND	Pass
G2	1	5	20	ND	Pass
Ochratoxin A	6	18	20	ND	Pass

Date Tested: 06/12/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.094	0.500	ND	Pass
Cadmium	0.047	0.094	0.500	ND	Pass
Lead	0.047	0.094	0.500	ND	Pass
Mercury	0.047	0.094	0.500	ND	Pass

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Georgia

4 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL1007.2778

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/10/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT04

Batch#: MWSL30LOT04

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
n-Butane	59.483	198.276		ND	Tested
Isobutane	59.483	198.276		ND	Tested
Butanes			800.000	ND	Pass
Ethanol	64.655	215.517	5000.000	647.968	Pass
Heptane	64.655	215.517	500.000	ND	Pass
n-Hexane	1.293	4.310		ND	Tested
2,2-Dimethylbutane	1.293	4.310		ND	Tested
3-Methylpentane	1.293	4.310		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.586	8.621		ND	Tested
Hexanes			100.000	ND	Pass

Date Tested: 06/15/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane). The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL0991.2744

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/12/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT03

Batch#: MWSL30LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	06/18/2026	Complete
Residual Solvents	06/15/2026	Complete
Microbials	06/12/2026	Complete
Mycotoxins	06/17/2026	Complete
Pesticides	06/17/2026	Complete
Heavy Metals	06/17/2026	Complete
Foreign Matter	06/11/2026	Not Detected

Cannabinoids

Complete

30.814 mg/unit Total THC	0.0084% Δ^9 -THC	ND Total CBD	30.814 mg/unit Total Cannabinoids
-----------------------------	----------------------------	-----------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9133	1.370	ND	ND	ND
9R-HHC	0.9133	1.370	ND	ND	ND
(6aR,9S)-d10-THC	0.9133	1.370	ND	ND	ND
9S-HHC	0.9133	1.370	ND	ND	ND
CBC	0.9133	1.370	ND	ND	ND
CBCa	0.9133	1.370	ND	ND	ND
CBD	0.9133	1.370	ND	ND	ND
CBDa	0.9133	1.370	ND	ND	ND
CBDV	0.9133	1.370	ND	ND	ND
CBDVa	0.9133	1.370	ND	ND	ND
CBG	0.9133	1.370	ND	ND	ND
CBGa	0.9133	1.370	ND	ND	ND
CBN	0.9133	1.370	ND	ND	ND
CBNa	0.9133	1.370	ND	ND	ND
Δ^8 -THC	0.9133	1.370	ND	ND	ND
Δ^9 -THC	0.9133	1.370	30.814	0.08704	0.008
THCa	0.9133	1.370	ND	ND	ND
THCp	0.9133	1.370	ND	ND	ND
THCV	0.9133	1.370	ND	ND	ND
THCVa	0.9133	1.370	ND	ND	ND
Total THC			30.814	0.08704	0.008
Total CBD			ND	ND	ND
Total			30.814	0.08704	0.008

Date Tested: 06/18/2026

Density: 1 mL = 1.032 g, Unit Mass: 365.328 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL0991.2744

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/12/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT03

Batch#: MWSL30LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.096	0.028		ND	Tested	Fludioxonil	0.092	0.028		ND	Tested
Acephate	0.092	0.028		ND	Tested	Hexythiazox	0.092	0.028		ND	Tested
Acequinocyl	0.092	0.028		ND	Tested	Imazalil	0.092	0.028		ND	Tested
Acetamiprid	0.092	0.028		ND	Tested	Imidacloprid	0.092	0.028		ND	Tested
Aldicarb	0.092	0.028		ND	Tested	Kresoxim Methyl	0.092	0.028		ND	Tested
Azoxystrobin	0.092	0.028		ND	Tested	Malathion	0.092	0.028		ND	Tested
Bifenazate	0.092	0.028		ND	Tested	Metalaxyl	0.092	0.028		ND	Tested
Bifenthrin	0.092	0.028		ND	Tested	Methiocarb	0.092	0.028		ND	Tested
Boscalid	0.092	0.028		ND	Tested	Methomyl	0.092	0.028		ND	Tested
Captan	0.370	0.111		ND	Tested	Mevinphos	0.092	0.028		ND	Tested
Carbaryl	0.092	0.028		ND	Tested	Myclobutanil	0.092	0.028		ND	Tested
Carbofuran	0.092	0.028		ND	Tested	Naled	0.231	0.070		ND	Tested
Chlorantraniliprole	0.092	0.028		ND	Tested	Oxamyl	0.092	0.028		ND	Tested
Chlordane	0.074	0.022		ND	Tested	Paclobutrazol	0.092	0.028		ND	Tested
Chlorfenapyr	0.074	0.022		ND	Tested	Methyl Parathion	0.074	0.022		ND	Tested
Chlormequat	0.092	0.028		ND	Tested	Pentachloronitrobenzene	0.074	0.022		ND	Tested
Chlorpyrifos	0.092	0.028		ND	Tested	Permethrins	0.092	0.028		ND	Tested
Clofentezine	0.092	0.028		ND	Tested	Phosmet	0.092	0.028		ND	Tested
Coumaphos	0.092	0.028		ND	Tested	Piperonyl Butoxide	0.092	0.028		ND	Tested
Cyfluthrin	0.074	0.022		ND	Tested	Prallethrin	0.092	0.028		ND	Tested
Cypermethrin	0.074	0.022		ND	Tested	Propiconazole	0.092	0.028		ND	Tested
Daminozide	0.092	0.028		ND	Tested	Propoxur	0.092	0.028		ND	Tested
Diazinon	0.092	0.028		ND	Tested	Pyrethrins	0.462	0.139		ND	Tested
Dichlorvos	0.046	0.015		ND	Tested	Pyridaben	0.092	0.028		ND	Tested
Dimethoate	0.092	0.028		ND	Tested	Spinetoram	0.092	0.028		ND	Tested
Dimethomorph	0.089	0.028		ND	Tested	Spinosad	0.094	0.028		ND	Tested
Ethoprophos	0.092	0.028		ND	Tested	Spiromesifen	0.092	0.028		ND	Tested
Etofenprox	0.092	0.028		ND	Tested	Spirotetramat	0.092	0.028		ND	Tested
Etoxazole	0.092	0.028		ND	Tested	Spiroxamine	0.092	0.028		ND	Tested
Fenhexamid	0.092	0.028		ND	Tested	Tebuconazole	0.092	0.028		ND	Tested
Fenoxycarb	0.092	0.028		ND	Tested	Thiacloprid	0.092	0.028		ND	Tested
Fenpyroximate	0.092	0.028		ND	Tested	Thiamethoxam	0.092	0.028		ND	Tested
Fipronil	0.092	0.028		ND	Tested	Trifloxystrobin	0.092	0.028		ND	Tested
Flonicamid	0.092	0.028		ND	Tested						

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL0991.2744

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/12/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT03

Batch#: MWSL30LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	26	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 06/12/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	6	18		ND	Tested

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.095		ND	Tested
Cadmium	0.048	0.095		ND	Tested
Lead	0.048	0.095		ND	Tested
Mercury	0.048	0.095		ND	Tested
Palladium	0.048	0.238		ND	Tested
Selenium	0.048	0.095		ND	Tested

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater Strawberry Lemonade 30mg

Sample ID: 2606NBL0991.2744

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/12/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID: MWSL30LOT03

Batch#: MWSL30LOT03

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	64.655	215.517		ND	Tested
Benzene	0.259	0.862		ND	Tested
n-Butane	59.483	198.276		ND	Tested
Isobutane	59.483	198.276		ND	Tested
Ethanol	64.655	215.517		589.071	Tested
Ethyl Acetate	64.655	215.517		ND	Tested
Heptane	64.655	215.517		ND	Tested
n-Hexane	1.293	4.310		ND	Tested
2,2-Dimethylbutane	1.293	4.310		ND	Tested
3-Methylpentane	1.293	4.310		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.586	8.621		ND	Tested
Methanol	25.862	86.207		ND	Tested
Isopentane	59.483	198.276		ND	Tested
n-Pentane	25.862	86.207		ND	Tested
Neopentane	59.483	198.276		ND	Tested
2-Propanol	64.655	215.517		ND	Tested
Propane	258.621	862.069		ND	Tested
Toluene	0.129	0.431		ND	Tested
Ethylbenzene	0.129	0.431		ND	Tested
m/p-Xylene	0.129	0.431		ND	Tested
o-Xylene	0.129	0.431		ND	Tested
1,1-Dichloroethene	0.517	1.724		ND	Tested
1,2-Dichloroethane	0.517	1.724		ND	Tested
Ethylene Oxide	1.293	4.310		ND	Tested
Acetonitrile	5.172	17.241		ND	Tested
Chloroform	0.517	1.724		ND	Tested
Ethyl Ether	64.655	215.517		ND	Tested
Dichloromethane	25.862	86.207		ND	Tested
Trichloroethene	5.172	17.241		ND	Tested
2,3-Butanedione	25.862	86.207		ND	Tested

Date Tested: 06/15/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.