



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50702016-003



Jul 08, 2025 | Specialty Club Corp

105 Akron Dr
Winston Salem, NC, 27105, US

Production Method: Other - Not Listed

Batch#: SCP1006

Harvest Date: 06/30/25

Sample Size Received: 355 ml

Total Amount: 355 ml

Retail Product Size: 355 ml

Retail Serving Size: 355 ml

Servings: 1

Sample Density: 1.0 g/mL

Ordered: 06/30/25

Sampled: 07/02/25

Completed: 07/05/25

Revision Date: 07/08/25

Sampling Method: SOP.T.20.010.FL

TESTED

Pages 1 of 2

SAFETY RESULTS

Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED



Cannabinoid

TESTED



Total THC
0.002%



Total CBD
0.012%



Total Cannabinoids
0.014%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.002	ND	0.012	ND	ND	ND	ND	ND	ND	ND	ND
mg/ml	0.02	ND	0.12	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
2.0425g

Extraction date:
07/03/25 10:43:58

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA088126POT
Instrument Used : DA-LC-008
Analyzed Date : 07/05/25 10:44:11

Batch Date : 07/03/25 08:24:30

Dilution : 400
Reagent : 060425.01; 090924.05; 031125.07
Consumables : 947.110; 04312111; 031425CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Peach Kush
Matrix : Edible
Type: Beverage



Certificate of Analysis

TESTED

Specialty Club Corp

105 Akron Dr
Winston Salem, NC, 27105, US
Telephone: 7575973279
Email: ceo@arcteaco.com

Sample : DA50702016-003

Batch# : SCP1006
Sampled : 07/02/25
Ordered : 07/02/25

Sample Size Received : 355 ml
Total Amount : 355 ml
Completed : 07/05/25 Expires: 07/08/26
Sample Method : SOP Client Method

Page 2 of 2

COMMENTS

* SRF Comments

Expiration Date: 06/16/2027

The expiration date listed on this Certificate of Analysis has been provided by the client and is based on their internal stability data. This laboratory did not perform stability testing to determine or verify the expiration date.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/05/25

Revision: #1

This revision supersedes any and all previous versions of this document.